

Health & Safety Summary Aircare Refill 75ml, Clean

Identification of the substance/mixture and of the company/undertaking

Product name Aircare Refill 75ml, Clean

Internal identification BL081-CL

PCS No.

UFI

Supplier

UK: Jangro Limited
Parklands 1A
3rd Floor
Lostock
Bolton, UK
BL6 4SD
Tel: 01204 795 955
Fax: 01204 579 499
enquiries@jangrohq.net

Europe: Jangro (Europe) Limited
6-9 Trinity Street
Dublin 2
Ireland
D02 EY47
Tel: 01 617 7911

Hazards identification

Hazard pictograms



Signal word Danger

Hazard statements

H222 Wax aad u guban kara
H229 Weel cadaadis la saaray: wuu qarxi karaa haddii la kululeeyo
H317 Waxa laga yaabaa inay keento dareen-celin maqaarka ah oo xasaasiyad ah
H412 Waxyeelo u leh nolosha biyaha oo leh saameyn waarta

Precautionary statements

P251 Weel cadaadis la saaray - Ha daloolin ama ha gubin, xitaa ka dib isticmaalka
P210 Ka fogow kulaylka/ dhimbilaha/ ololka furan/meelaha kulul - Sigaar cabbin ma jiro
P273 Iska ilaali in lagu sii daayo deegaanka
P302+P352 HADDII MAQAARKA UU TALO Ku dhaq saabuun iyo biyo
P333+P313 Haddii maqaarka xanaaqa ama finan uu dhaco Hel talo/fiirin caafimaad
P410+P412 Ka ilaali iftiinka qorraxda Ha u bandhigin heerkul ka sarreeya 50 °C/122 °F.
P501 Ku tuur waxa ku jira/koonteenar si aad...